

Docking Station: **ASE-9575P-HQ-DOD**

**Iridium 9575 A Secure Sleeve
 Docking Station**



ASE-9575P-HQ-DOD

| | | |
|---------------------|------------------|---------------------|
| Voltage | 10-32 VDC | Cable or DC Adapter |
| Power | 12 Watts | Active Peak |
| Antenna Connections | Iridium TNC-F | GPS SMA-F |
| Operating Temp | -10 to 55 C | |
| Dimensions | 13 x 6 x 4.5 in. | 33 x 15 x 11.5 cm |
| Weight | 3.5 lbs. | 1.6 kg |
| Shipping Weight | 6.0 lbs. | 2.7 kg |
| Shipping Dimensions | 16 x 14 x 8 in. | 41 x 36 x 20 cm |

Docking Station: ASE-9575P-HQ-DOD



Additional Features/Components

- Easy Office Integration

Use with Analog Phones. We Recommend ASE-PT01 with Dialing Instructions.



- Antennas go the Distance

Passive Antennas up to 20 Meters. Active Antennas up to 105M.
Antennas not included: Purchase separately.

Shipping Information:

ASE-9575PHQ-DOD

- Standard/Push to Talk Docking Station with POTS and GPS - includes dock, office mount. RECOMMENDED FOR VOICE OR INTEGRATE WITH OFFICE PHONE applications
- Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8, 6 LBS (41cm x 36cm x 20cm, 3 kg)

ASE-PT01

- POTS Station - includes POTS phone, mount plate, and instruction placard
- Harmonized Code - HTS#: 8518.30.2000 ECCN: EAR99 Shipping Dimensions: 16 x 14 x 8, 5 LBS (41cm x 36cm x 20cm, 2 kg)

Docking Station: ASE-9575P-HQ-DOD



ASE Antenna and Cable Options:

Cable Lengths and Antenna Options:

ASE-PFA12 - 39' (12 meters) LMR600:

- premium passive filtered antenna, lightning arrester, and mounting bracket

ASE-PFA20 - 66' (20meters) LMR600:

- premium passive filtered antenna, lightning arrester, and mounting bracket

ASE-PFA27 - 100' (27 meters) LMR200:

- premium active filtered antenna, lightning arrester, interface box, and mounting bracket

ASE-PFA40 - 131' (40 meters) RG213:

- premium active filtered antenna, lightning arrester, interface box, and mounting bracket

ASE-PFA70- 230' (70 meters) LMR400:

- premium active filtered antenna, lightning arrester, interface box, and mounting bracket

ASE-PFA88 - 289' (88 meters) LMR500:

- premium active filtered antenna, lightning arrester, interface box, and mounting bracket

ASE-PFA105 - 344' (105 meters) LMR600:

- premium active filtered antenna, lightning arrester, interface box, and mounting bracket

ASE-FA12 - 39' (12 meters) LMR400:

- passive antenna, and mounting bracket

ASE-FA20 - 65' (20 meters) LMR600:

- passive antenna, and mounting bracket

ASE-LA01:


- Lightning Arrester - for active antenna
- Harmonized Code - HTS#: 8517.70.0000 ECCN: EAR99
Shipping Dimensions: 8 x 8 x 8, 2 LBS (20cm x 20cm x 20cm, 1 kg)



Docking Station: ASE-9575P-HQ-DOD



SYSTEM SETUP



sales@networkinv.com

CA: +1.403.287.5000
US: +1.281.485.8800
UK: +44.20.8286.6768
SE: +46.8.7652670

NL: +31.40.295.3001
SG: +65.6274.0811
AU: +61.1300.140.150
ZA: +27.72.062.3047

www.networkinv.com

Americas
Canada
United States
Asia/Pacific
Singapore
Australia

Europe
United Kingdom
Sweden
Netherlands
Africa
South Africa